



HCB Auto Tools

Hwang Cherng Bin Specialty Tools Inc. (HCB)

Browse

[EUROPEAN TRUCK REPAIR TOOLS](#)



SCANIA FRONT WHEEL SHOCK ABSORBER SPRING WASHER SOCKET (Dr. 3/4")

SCANIA FRONT WHEEL SHOCK ABSORBER SPRING WASHER SOCKET (Dr. 3/4") [\[Product Details...\]](#)



SCANIA REAR AXLES DAMPER ROD SOCKET (Dr. 3/4")

SCANIA REAR AXLES DAMPER ROD SOCKET (Dr. 3/4") [\[Product Details...\]](#)



SCANIA REAR WHEEL SHOCK ABSORBER SPRING WASHER SOCKET (Dr. 3/4")

SCANIA REAR WHEEL SHOCK ABSORBER SPRING WASHER SOCKET (Dr. 3/4") [\[Product Details...\]](#)



SCANIA 10 WHEELS CAB THIRD AXLE NUT SOCKET (Dr. 3/4", 8 POINTS, 95mm)

Applicable: SCANIA cab, York haulage, FUSO 10.5 tons truck. [\[Product Details...\]](#)



SCANIA TRUCK (310/320/340) TRANSMISSION SOCKET (Dr. 3/4")

SCANIA TRUCK (310/320/340) TRANSMISSION SOCKET (Dr. 3/4") [\[Product Details...\]](#)



SCANIA TRANSMISSION CLUTCH FRONT MAIN SHAFT SOCKET (Dr. 3/4")

*SCANIA TRANSMISSION CLUTCH FRONT MAIN SHAFT SOCKET (Dr. 3/4") *12/17.5/18.5/1.53' [\[Product Details...\]](#)



SCANIA 8-SPEED BUS TRANSMISSION NUT SOCKET (Dr. 3/4")

*SCANIA 8-SPEED BUS TRANSMISSION NUT SOCKET (Dr. 3/4") *12/22.5/23.5/1.53' [\[Product Details...\]](#)



SCANIA TRANSMISSION CLUTCH FRONT MAIN AXLE NUT SOCKET (Dr. 3/4")

*For extracting/ installing the front main axle of transmission clutch nut on SCANIA truck with ten speeds automatic transmission. [\[Product Details...\]](#)



SCANIA PTO NUT SOCKET (Dr. 1/2")

*For removing/ replacing the SCANIA hauler tractor truck PTO nut, also for third axle hanger nut on the trailer. [\[Product Details...\]](#)



SCANIA TRUCK FRONT WHEEL AXLES HUB EXTRACTOR (HYDRAULIC)

*The tool can be easily operated and save time with H.C.B-B1129 to increase working efficiency(Hydraulic Hand Pump) while SCANIA axle bearing got stuck due to over heat. [\[Product Details...\]](#)



SCANIA TRUCK FRONT WHEEL AXLES HUB EXTRACTOR

*When SCANIA axle bearing is stuck due to it is over heat, use this kit with air wrench for labor saver and easier removal. [\[Product Details...\]](#)



SCANIA FRONT WHEEL NUT SOCKET (H41 , 8 POINTS, 80mm)

*SIZE : 8 points, 80mm *Application : SCANIA [\[Product Details...\]](#)



H.C.B-A1126 SCANIA REAR WHEEL NUT SOCKET (8 POINTS, 100 mm)

*Fix bearing while removing or installing the truck nut. *Control the nut with slide rod to adjust bearing. [\[Product Details...\]](#)



SCANIA REAR WHEEL NUT SOCKET (Dr. 3/4", 8 POINTS, 100mm)

* Control the nut with slide rod to adjust bearing. [\[Product Details...\]](#)



VOLVO TRUCK FRONT/ REAR BRAKE SHOE LINING INSIDE CALIPER

*Extend wider and hold open brake shoe steel by locking A1169 inside caliper closer. Take out the bolts and change new brake shoe lining. *Applicable: All kinds of VOLVO trucks. [\[Product Details...\]](#)



VOLVO CAMSHAFT ROTATOR

*This tool is designed to rotate camshaft for timing. [\[Product Details...\]](#)



VOLVO WHEEL SHAFT COVER SOCKET (Dr. 3/4", 8 POINTS, 115mm)

*For dismantling the front/rear wheel axle cover of VOLVO *Size: 115mm, 8 points. [\[Product Details...\]](#)



BPW TRAILER REAR WHEEL SOCKET (12 TONS) (H41, OVAL, 111mm)

* For extracting the rear axle cover. * Applicable:BPW 12 tons. [\[Product Details...\]](#)



BPW TRAILER REAR WHEEL SOCKET (FORMER 16 TONS) (H41, 8 POINTS, 120mm)

BPW TRAILER REAR WHEEL SOCKET (FORMER 16 TONS) (H41, 8 POINTS, 120mm) [\[Product Details...\]](#)



BPW TRAILER REAR WHEEL SOCKET (12 TONS) (H41, 8 POINTS, 109mm)

*The rear axles cover extractor socket. *Size:109MM *Applicable: BPW-12T [\[Product Details...\]](#)



H.C.B-A1050-6 BPW TRAILER REAR WHEEL SOCKET (12 TONS) (Dr. 1", OVAL, 111mm)

BPW TRAILER REAR WHEEL SOCKET (12 TONS) (Dr. 1", OVAL, 111mm) [\[Product Details...\]](#)



MAN AXLE BEARING EXTRACTOR

*For replacing MAN truck hub bearings and removing the old bearings. *Turn the screw to remove the bearing. [\[Product Details...\]](#)



MAN TRUCK TRACTOR (33460/410/414) AXLE BEARING EXTRACTOR

* Best tool for replacing MAN tractor hub bearings and removing the old bearings. * Turn the screw and remove the bearing. * Applicable: MAN truck tractor 33460/410/414 with front disc brake bearing. [[Product Details...](#)]



MAN DIFFERENTIAL BEARING EXTRACTOR

*For replacing MAN differential bearing and removing the old bearings. *Turn the screw to remove the bearing. [[Product Details...](#)]



VOLVO FRONT WHEEL SHOCK ABSORBER SPRING WASHER REMOVAL SOCKET (H27)

VOLVO FRONT WHEEL SHOCK ABSORBER SPRING WASHER REMOVAL SOCKET (H27) [[Product Details...](#)]



MAN FRONT WHEEL HUB EXTRACTOR

* To remove the front wheel hub * Application: MAN truck * Specification: M115 x P 1.5 [[Product Details...](#)]



MAN FRONT WHEEL HUB INSTALLER

* To install front wheel hub of MAN. * There is a bearing inside the tool, to save power. * Specification: M40 x P1.5 [\[Product Details...\]](#)



MAN(422/403), BENZ TRUCK DIESEL INJECTION VALVE SOCKET

*To remove and install diesel injection valve. *Application:MAN 422/403, BENZ truck, SCANIA [\[Product Details...\]](#)



MAN STAR-E IMPACT SOCKET (Dr. 3/4", E18/E20) (FOR HGV CYLINDER-HEAD BOLT)

*Suitable for impact wrenches *Reinforced design *Chrome-vanadium special steel/surface burnished *Dr. 3/4", 105mm [\[Product Details...\]](#)



BPW 12 TONS AXLE EXTRACTOR (M125 x P2.0)

* Specification: M125 x P2.0 * Screw Specification: Ø30 x 6w * For former 12 tons trailer. [\[Product Details...\]](#)