



---

## HCB Auto Tools

*Hwang Cherng Bin Specialty Tools Inc. (HCB)*

Browse

[GENERAL CHASSIS REPAIR TOOLS](#)



H.C.B-A1005 ROLLER STITCHER PAT. 155302

\*Durable steel handle bearing inside for using easier. \*N.W.:0.35 KG [\[Product Details...\]](#)



H.C.B-A1006 ROLLER STITCHER PAT. 155302

\*Durable steel handle bearing inside for using easier. \*N.W.:0.31 KG [\[Product Details...\]](#)



### H.C.B-A1007 ANGLE ADJUSTER

\*With 4pcs alignment plates \*Hydraulic function \*Suitable for most of cars [\[Product Details...\]](#)



### H.C.B-A1026 AXLE BEARINGS EXTRACTOR/INSTALLER

\*This tool is used to install and remove the outer races from hub (wheel) bearings, as well as for hub press-fitting. [\[Product Details...\]](#)



### SOCKET TOOL (FOR FWD ONLY)

\*Socket reserved for the use of fwd to removal and install the hub. \*N.W :0.56kg [\[Product Details...\]](#)



### NISSAN SUZUKI SOCKET TOOL (FOR FWD ONLY)

\*SOCKET RESERVED FOR THE USE OF FWD TO REMOVE AND INSTALL THE HUB. \*APPLICATION: NISSAN SUZUKI \*N.W.:0.6 KG [\[Product Details...\]](#)



### SSANGYOUNG BUSH EXTRACTOR /INSTALLER

\*Used for r&r of pear wheel bearing located in wheel carrier. \*This tool can also be used to install the rear axle shaft flange. [\[Product Details...\]](#)



### UNIVERSAL BALL JOINT SEPERATOR (22mm)

\*For splitting track-rod ends,anti-roll bar mountings,ball joints...etc., especially in small space conditions. [\[Product Details...\]](#)



### UNIVERSAL BALL JOINT SEPERATOR (20mm)

\*It is good to use with powerful structure. \*Stand design to solve the space problem. \*Jaw open:20mm [\[Product Details...\]](#)



### MITSUBISHI WAGON (CANTER) WHEEL BALANCE ADJUSTER

\*The tool is designed to adjust bigger wheel that the wheel \*Balancer's original option can't do. [\[Product Details...\]](#)



### DUST SHIELD INSTALLER

\*The tool is designed to extend the dust shield to install into the propeller shaft. [\[Product Details...\]](#)



### H.C.B-A1086-1 DUST SHIELD KIT

\*Extendable dust shield can fit most kinds of propeller shaft. [\[Product Details...\]](#)



### STEERING KNUCKLE DUST SHIELD KIT

\*STEERING KNUCKLE DUST SHIELD KIT [\[Product Details...\]](#)



### STEERING KNUCKLE DUST SHIELD INSTALLER

\*STEERING KNUCKLE DUST SHIELD INSTALLER [\[Product Details...\]](#)



### EXPELLER BELL FOR HUB EXTRACTION (4 HOLES)

\*Expeller for hub extraction with mechanical spindle includes 5 conical washers. \*P.C.D. Range diameter 96-126MM [\[Product Details...\]](#)



**H.C.B-A1095-5H EXPELLER BELL FOR HUB EXTRACTION(5 HOLES)**

\*Expeller for hub extraction with mechanical spindle includes 5 conical washers. \*P.C.D. Range diameter 96-126MM [\[Product Details...\]](#)



**EXPELLER BELL FOR HUB EXTRACTION (HYDRAULIC)**

\*Expeller for hub extraction with mechanical spindle includes 5 conical washers. [\[Product Details...\]](#)



**HUB SLIDE HAMMER PULLER (5 HOLES)**

\*Pulls flange-type rear axles on most latest model passenger cars & light truck. Designed to fit axles with bolts & studs up to 5/8" TW10 DA. [\[Product Details...\]](#)



**HUB SLIDE HAMMER PULLER (4 HOLES)**

\* Pulls 4 bolts front hub easily with the 10 LB slide hammer. \* Heavy duty tool for rugged jobs. [\[Product Details...\]](#)





### HUB SLIDE HAMMER PULLER (4 HOLES)

\*Pulls 4 bolts front hub easily with the 10 LB silde hammer. \*Heavy duty tool for rugged jobs. [\[Product Details...\]](#)



### FRONT WHEEL DRIVE AXLES PULLER

\*Simply secure shaft through opening in adapter to remove the half from CV joints on most FWD vehicles. [\[Product Details...\]](#)



### FRONT WHEEL DRIVE AXLES PULLER

\*Simply secure shaft through opening in adapter to remove the half from CV joints on most FWD vehicles. [\[Product Details...\]](#)



### AIR PRESSURE DISK BRAKE CALIPER RETURN TOOL

\*AIR PRESSURE DISK BRAKE CALIPER RETURN TOOL [\[Product Details...\]](#)



### METAL T HANDLE RASP BROWN EYE TOOL

\* Durable metal T handle. \* Changeable tip design. [\[Product Details...\]](#)



### METAL T HANDLE CLOSED EYE TOOL

\* Durable metal T handle. \* Changeable tip design. [\[Product Details...\]](#)



### ALUMINUM RETAINING RING ADJUSTMENT TOOL (CEMB)

\*Set of wheel back centering bushing [\[Product Details...\]](#)



### ALUMINUM RETAINING RING ADJUSTMENT TOOL (FAIP, CORGHI)

\*Set of wheel back centering bushing [\[Product Details...\]](#)



### ALUMINUM RETAINING RING ADJUSTMENT TOOL (HOFFMAN, HUNTER)



\*Set of wheel back centering bushing [\[Product Details...\]](#)



### PEUGEOT BALL JOINT SOCKET

\*Applicable:PEUGEOT [\[Product Details...\]](#)



### SPRING COMPRESSOR (STAND)

\*Two different U type hooks suit for most cars. \*Grease the screw before use. [\[Product Details...\]](#)